

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	400	(plurality or many or two or three or more) near4 ((RFID or radio) near2 tag)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:05
L2	16583	(plurality or many or two or three or more) near4 (readers or interrogat\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:06
L3	243449	('same' or similar or different) near3 (channel or frequenc\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:07
L4	60	1 and 2 and 3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:13
L5	18347	3 with (determin\$3 or whether or indicat\$3 or check\$3 or verif\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:14
L6	3	4 and 5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:19
L7	557997	(exceed\$3 or over or higher or more) near4 (threshold or limit or level)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:20
L8	370743	(select\$3 or choos\$3) near4 (modulat\$3 or format\$3 or signal)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:40
L9	0	7 near7 tags near7 8	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:23
L10	5	7 with (readers or interrogators) with 8	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:26
L11	0	4 and 10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:23
L12	0	7 with tags with 8	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:23
L13	2	10 and (modulat\$3 or demodulat\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:31
L14	7	4 and (select\$3 or choos\$3) near7 (modulat\$3 or demodulat\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:39
L15	0	14 and ((select\$3 or choos\$3) near4 format\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:41

L16	0	4 and ((select\$3 or choos\$3) near4 format\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/26 12:42
-----	---	--	--------------------------------	----	----	------------------

US 6917291 B2 Interrogation, monitoring 340/572.1 340/10.1; 340/505; 340/539.1; 340/539.2
US 6784789 B2 Method and apparatus 340/10.6 340/10.3; 340/572.1; 714/25
US 6734797 B2 Identification tag utilizing 340/572.4 340/572.1
US 6127928 A Method and apparatus 340/572.1 340/10.1; 340/568.1; 340/825.49
US 5940006 A Enhanced uplink mode 340/10.1 235/375; 235/435; 340/10.41; 340/10.42
US 6943678 B2 Thermoformed apparatus 340/505 156/226; 156/227; 156/290; 235/291
US 6888459 B2 RFID based security system 340/541 340/10.1; 340/507; 340/508; 700/509
US 6859485 B2 Geolocation system with 375/130 375/140; 375/142; 375/146; 375/147
US 6850824 B2 Method and apparatus 701/36 701/29; 701/34
US 6828902 B2 Wireless data input to 340/10.3 340/10.41; 340/825.22; 340/928; 340/929
US 6825754 B1 Radio frequency identification 340/10.34
US 6816063 B2 Radio frequency identification 340/10.33 340/10.5; 340/572.1
US 6784813 B2 Method, system, and apparatus 341/53 235/435; 340/572.1
US 6774782 B2 Radio frequency personal 340/505 340/539.1; 340/539.11; 340/539.12
US 6768419 B2 Applications for radio 340/572.4 235/385; 340/10.1; 340/693.1
US 6758089 B2 Wireless sensing and monitoring 73/146 340/901
US 6748797 B2 Method and apparatus 73/146 340/443
US 6745008 B1 Multi-frequency communication 455/41.1 340/10.1; 340/10.2; 342/42; 342/43
US 6738697 B2 Telematics system for 701/29 701/34
US 6714121 B1 RFID material tracking 340/10.3 340/825.49
US 6687609 B2 Mobile-trailer tracking 701/207 340/993; 342/27
US 6662642 B2 Vehicle wireless sensing 73/146 137/227; 340/447
US 6661335 B1 System and method for 340/10.1 340/825.49
US 6646554 B1 Identification tag with 340/572.6 340/568.1; 340/572.1
US 6600420 B2 Application for a radio 340/572.4 340/572.6; 340/572.7; 343/879; 343/880
US 6600418 B2 Object tracking and monitoring 340/572.1 340/10.1; 340/5.92; 340/505; 700/506
US 6563417 B1 Interrogation, monitoring 340/10.1 340/505; 340/572.1; 340/825.69; 340/825.70
US 6549064 B2 Efficient charge pump 327/536 327/537
US 6525648 B1 Radio frequency identification 340/10.33 340/10.5; 340/572.1
US 6504135 B2 Temperature self-regulation 219/624 219/621; 219/626; 219/661
US 6486780 B1 Applications for radio 340/572.1 235/385; 340/5.92
US 6483427 B1 Article tracking system 340/10.1 340/5.8; 340/573.1; 340/573.4; 340/573.5
US 6448886 B2 Application for radio frequency 340/10.1 235/385; 340/572.4
US 6444961 B1 Induction heating pizza 219/622 219/626; 219/667
US 6434372 B1 Long-range, full-duplex 455/106 340/10.4; 455/107; 455/63.1
US 6424262 B2 Applications for radio 340/572.3 335/284
US 6388628 B1 Systems and methods 343/742
US 6377203 B1 Collision arbitration method 342/44 340/10.1; 340/10.4; 340/10.42; 340/10.43
US 6335686 B1 Application for a radio 340/572.4 340/572.6; 340/572.7; 343/879; 343/880
US 6320509 B1 Radio frequency identification 340/572.7 340/572.8
US 6320169 B1 Method and apparatus 219/626 219/620; 219/665; 340/572.1; 340/572.2

US 6316753 B1 Induction heating, terr 219/621 219/622; 219/624; 219/627; 219/
US 6297734 B1 Randomization of tran 340/539.2€ 340/10.2; 340/539.22; 340/572.1
US 6285295 B1 Passive remote progr: 340/825.22 340/10.3; 341/176; 342/42
US 6274856 B1 Temperature self-regl 219/627 219/622; 219/626; 219/665; 99/32
US 6232870 B1 Applications for radio 340/10.1 235/385; 340/572.4
US 6232585 B1 Temperature self-regl 219/620 126/246; 219/621; 219/622; 219/
US 6154137 A Identification tag with 340/572.4 340/572.6; 340/572.7
US 6130612 A Antenna for RF tag wi 340/572.6 340/572.2; 340/572.7
US 6100840 A Radio frequency tag s 342/42 342/44; 342/45; 342/51
US 6084530 A Modulated backscatter sensor sy 340/10.32; 340/825.49; 342/114;
US 6025780 A RFID tags which are v 340/572.3 340/10.51; 340/5.25; 340/5.61; 34
US 5936527 A Method and apparatus 340/572.1 340/10.31; 340/568.1; 340/825.49
US 5729697 A Intelligent shopping c: 705/23 235/383; 705/17
US 5686902 A Communication syste 340/10.2 340/825.49; 342/457
US 5680106 A Multibit tag with stepw 340/10.33 340/10.42; 342/44; 342/51
US 5640151 A Communication syste 340/10.2 340/572.1; 340/825.49; 342/361;
US 5591951 A System and method fc 340/10.3 235/375
US 5528232 A Method and apparatus 340/825.4€ 33/714; 340/10.4; 367/128
JP 2004187159 A RADIO TAG READER-WRITER

L 4

US 6784789 B2
US 6025780 A
US 5680106 A

Method and apparatus 340/10.6 340/10.3; 340/572.1; 714/25
RFID tags which are v 340/572.3 340/10.51; 340/5.25; 340/5.61; 340/10.33 340/10.42; 342/44; 342/51
Multibit tag with stepw

L6

US 5036545 A Picture image reading 382/284 358/474; 382/128; 382/274; 382/
US 6946950 B1 MOBILE BODY DISCI 340/10.1 340/10.2; 340/10.34; 340/10.4; 340/
US 5525991 A Mobile object identific 340/10.51 235/384
US 4888646 A Optimal image-quality 358/464 358/447; 382/270
JP 09065123 A PICTURE READER

L 10

US 6734797 B2 Identification tag utiliz 340/572.4 340/572.1
US 6127928 A Method and apparatus 340/572.1 340/10.1; 340/568.1; 340/825.49
US 5940006 A Enhanced uplink mod 340/10.1 235/375; 235/435; 340/10.41; 340/572.1
US 6784813 B2 Method, system, and apparatus 341/53 235/435; 340/572.1
US 6549064 B2 Efficient charge pump 327/536 327/537
US 6434372 B1 Long-range, full-duple 455/106 340/10.4; 455/107; 455/63.1
US 5936527 A Method and apparatus 340/572.1 340/10.31; 340/568.1; 340/825.49

L 14